



Triangle wall wash light luminaire


IP54 ✱ ⚠ /EN 60598/CLASS I ⚡ /▽/CE/IK07




Suitable for wet locations

A small size triangle design wall mounted area light luminaire using metal halide lamps or high pressure sodium lamps 70-150w. A high quality side throw reflector design creates broad spread light distribution. Designed for lighting footpaths, car parks, building facades, under canopies and roadways. The LED luminaires have features such as long life, limited maintenance and constant lifetime performance.


Aluminum frame and body. Stainless steel screws and hardware. Durable silicone rubber gasket and impact resistant toughened glass diffuser with hinged aluminum frame for in-position lamp replacement. The luminaire is treated with a chemical chromated protection before powder coating, ensuring high corrosion resistance. Integral control gear. Anodized high purity aluminum reflector.



Coral Mountain Apartment Homes, CA - USA




Product Family









UTR-32063




Triangle small wall area light distribution type II

Model No.	Lamp	Holder	Lumen	Weight
UTR-32061	PMH-ED17 70w.	MED	4000	20.9 lb.
UTR-32062	PMH-ED17 100w.	MED	6500	21.3 lb.
UTR-32063	PMH-ED17 150w.	MED	10000	21.3 lb.
UTR-32064	HPS-ED17 70w.	MED	5450	20.9 lb.
UTR-32065	HPS-ED17 100w.	MED	8550	21.3 lb.
UTR-32066	HPS-ED17 150w.	MED	14400	21.3 lb.








UTR-32073




Triangle small wall area light distribution type IV


Model No.	Lamp	Holder	Lumen	Weight
UTR-32071	PMH-ED17 70w.	MED	4000	20.9 lb.
UTR-32072	PMH-ED17 100w.	MED	6500	22.4 lb.
UTR-32073	PMH-ED17 150w.	MED	10000	22.4 lb.
UTR-32074	HPS-ED17 70w.	MED	5450	20.9 lb.
UTR-32075	HPS-ED17 100w.	MED	8550	22.4 lb.
UTR-32076	HPS-ED17 150w.	MED	14400	22.4 lb.



Mounting detail




Option: Small adjustable arm



Mounting detail







UTR-31711







Triangle HP LED wall area light distribution type II

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable 1-10V
UTR-31711-W30	2x12 LED	2x1561 lm	3000K	2x21	44.1 lb.	•
UTR-31711-W40	2x12 LED	2x1587 lm	4000K	2x21	44.1 lb.	•
UTR-31711-W50	2x12 LED	2x1655 lm	5000K	2x21	44.1 lb.	•
UTR-31712-W30	2x12 LED	2x2043 lm	3000K	2x29	44.1 lb.	•
UTR-31712-W40	2x12 LED	2x2049 lm	4000K	2x29	44.1 lb.	•
UTR-31712-W50	2x12 LED	2x2150 lm	5000K	2x29	44.1 lb.	•





Triangle HP LED wall area light distribution type III


Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable 1-10V
UTR-31721-W30	2x12 LED	2x1585 lm	3000K	2x21	44.1 lb.	•
UTR-31721-W40	2x12 LED	2x1610 lm	4000K	2x21	44.1 lb.	•
UTR-31721-W50	2x12 LED	2x1679 lm	5000K	2x21	44.1 lb.	•
UTR-31722-W30	2x12 LED	2x2066 lm	3000K	2x29	44.1 lb.	•
UTR-31722-W40	2x12 LED	2x2072 lm	4000K	2x29	44.1 lb.	•
UTR-31722-W50	2x12 LED	2x2175 lm	5000K	2x29	44.1 lb.	•




UTR-31721



Mounting detail




Option: Small adjustable arm



Mounting detail






UTR-31731




Triangle HP LED wall area light distribution type IV


Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable 1-10V
UTR-31731-W30	2x12 LED	2x1585 lm	3000K	2x21	44.1 lb.	•
UTR-31731-W40	2x12 LED	2x1610 lm	4000K	2x21	44.1 lb.	•
UTR-31731-W50	2x12 LED	2x1679 lm	5000K	2x21	44.1 lb.	•
UTR-31732-W30	2x12 LED	2x2066 lm	3000K	2x29	44.1 lb.	•
UTR-31732-W40	2x12 LED	2x2072 lm	4000K	2x29	44.1 lb.	•
UTR-31732-W50	2x12 LED	2x2175 lm	5000K	2x29	44.1 lb.	•



Mounting detail



Option: Small adjustable arm



Mounting detail