



Martini Series



Easy Access

Easily installation and re-lamping



Two point closure

Like window opening allow luminaire door to be opened in one direction or completely remove for versatile access



Various reflector Types

Selectable high performance optical reflector type II, III, IV and V to suit your lighting application needs.



Sealed Gasket

Fully sealed gasket and connector helps protect lamp, optics and electrical components from dust insects and moisture.




Modern-Classic styling

New Martini series products complements the surrounding architectural environment with any shape and form.



Dark Sky Compliant

Luminaires have minimal upward light which reduces glare & is Dark Sky friendly.



Streetlight application with Martini 4 Reflector Type II for pedestrian crossings street Art no. UMN-92221-SC60 HIT-CPO 140W pole height 19.6ft to illuminate dangerous areas.



Streetlight application with Martini 5 Reflector Type II for residential streets Art no. UMN-92222-SC76 PMH-T15 250W pole height 22.98 ft to illuminates the surrounding area & colors of objects & people, good lighting comfort and improve safety.





Streetlight application with Martini 12 Small double head Reflector Type III for highway street Art no. UMN-92252-SC76 PMH-T15 2x250W pole height 22.98 ft to illuminate the street and bridge across the river, good lighting for streets with 3 to 4 lanes.

Streetlight application with Martini 11 Reflector Type III for highway street Art no. UMN-92243-SC76 PMH-T15 320W pole height 26.24 ft to illuminate the street and bridge across the river, good lighting for junction streets and road 3 to 4 lanes.



Parking area application with Martini 13 Reflector Type IV (Forward throw) Art no. UMN-91182-SC76 PMH-ED17 100W pole height 13.1 ft to illuminate car parks, areas, or 3-4 lane streets.





Public park or walkway application with Martini 23 Reflector
Type V Art no. UMN-92261-SC76 HIT-CPO 140W pole height
19.6 ft to illuminate parks, green areas and walkways.

Martini area lighting luminaire

IP54 ✱ ⚡/EN 60598/CLASS I ⚡/V/CE/IK07




Suitable for wet locations

Small and medium size modern shape area light with different lighting distributions for LED, metal halide, sodium vapour discharge lamp and cosmo white lamps 60 to 400w. A high quality reflector design provides a broad spread light distribution with full cut off. Main application for lighting of public, private roadways, car parks, exhibition areas, service stations, truck stops and sport grounds. The LED luminaires have features such as long life, limited maintenance and constant lifetime performance.

Dark Sky compliant horizontal mount 0° tilt is an option and is specified on factory cut sheet.

Aluminium housing with high corrosion resistance. Integral control gear. Stainless steel screws. Durable silicone rubber gasket and clear toughened glass with hinged aluminium frame for in-position lamp replacement. Anodized high purity aluminium reflector. Main housing is powder coated with high corrosion resistance and chemical chromate protection.




Product Family








UMN-91201-SC60



Martini 1 Small single area light distribution type II for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91201-SC60	HIT-CPO 60w.	PGZ12	6800	18.3 lb.
UMN-91202-SC60	PMH-ED17 70w.	MED	4000	18.3 lb.
UMN-91203-SC60	PMH-ED17 100w.	MED	6500	23.1 lb.
UMN-91204-SC60	PMH-ED17 150w.	MED	10000	23.1 lb.
UMN-91205-SC60	HPS-ED17 70w.	MED	5450	18.3 lb.
UMN-91206-SC60	HPS-ED17 100w.	MED	8550	23.1 lb.
UMN-91207-SC60	HPS-ED17 150w.	MED	14400	23.1 lb.



11.3"



12.6"



17.7"



5.9"




5"

EPA=0.78 ft²

ø2.36"x4.52"

Martini 2 Small single area light distribution type II for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91201-SC76	HIT-CPO 60w.	PGZ12	6800	23.1 lb.
UMN-91202-SC76	PMH-ED17 70w.	MED	4000	23.1 lb.
UMN-91203-SC76	PMH-ED17 100w.	MED	6500	28.0 lb.
UMN-91204-SC76	PMH-ED17 150w.	MED	10000	28.0 lb.
UMN-91205-SC76	HPS-ED17 70w.	MED	5450	23.1 lb.
UMN-91206-SC76	HPS-ED17 100w.	MED	8550	28.0 lb.
UMN-91207-SC76	HPS-ED17 150w.	MED	14400	28.0 lb.



11.3"



12.6"



17.7"



5.9"


5"

EPA=1.05 ft²

ø2.99"x4.52"




UMN-91201-SC76



Martini 3 Small double area lights distribution type II for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91211-SC76	HIT-CPO 2x60w.	PGZ12	2x6800	42.7 lb.
UMN-91212-SC76	PMH-ED17 2x70w.	MED	2x4000	42.7 lb.
UMN-91213-SC76	PMH-ED17 2x100w.	MED	2x6500	46.3 lb.
UMN-91214-SC76	PMH-ED17 2x150w.	MED	2x10000	46.3 lb.
UMN-91215-SC76	HPS-ED17 2x70w.	MED	2x5450	42.7 lb.
UMN-91216-SC76	HPS-ED17 2x100w.	MED	2x8550	46.3 lb.
UMN-91217-SC76	HPS-ED17 2x150w.	MED	2x14400	46.3 lb.



12.6"



17.7"



5.9"


5"

EPA=1.87 ft²

ø2.99"x4.52"




UMN-91211-SC76



*Option: Straight arm 0° tilt (Dark Sky compliant)






UMN-92221-SC60




Martini 4 Medium single area light distribution type II for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92221-SC60	HIT-CPO 140w.	PGZ12	16500	26.2 lb.
UMN-92222-SC60	PMH-T15 200w.	MOGUL	19000	26.2 lb.
UMN-92223-SC60	PMH-T15 250w.	MOGUL	22000	26.2 lb.
UMN-92224-SC60	PMH-T15 320w.	MOGUL	30000	28.6 lb.
UMN-92225-SC60	PMH-T15 350w.	MOGUL	31000	28.6 lb.
UMN-92226-SC60	HPS-ED18 250w.	MOGUL	26100	26.2 lb.
UMN-92227-SC60	HPS-ED18 400w.	MOGUL	45000	28.6 lb.






UMN-92221-SC76




Martini 5 Medium single area light distribution type II for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92221-SC76	HIT-CPO 140w.	PGZ12	16500	29.3 lb.
UMN-92222-SC76	PMH-T15 200w.	MOGUL	19000	29.3 lb.
UMN-92223-SC76	PMH-T15 250w.	MOGUL	22000	29.3 lb.
UMN-92224-SC76	PMH-T15 320w.	MOGUL	30000	38.1 lb.
UMN-92225-SC76	PMH-T15 350w.	MOGUL	31000	38.1 lb.
UMN-92226-SC76	HPS-ED18 250w.	MOGUL	26100	29.3 lb.
UMN-92227-SC76	HPS-ED18 400w.	MOGUL	45000	38.1 lb.




UMN-92231-SC76




Martini 6 Medium double area lights distribution type II for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92231-SC76	HIT-CPO 2x140w.	PGZ12	2x16500	58.6 lb.
UMN-92232-SC76	PMH-T15 2x200w.	MOGUL	2x19000	58.6 lb.
UMN-92233-SC76	PMH-T15 2x250w.	MOGUL	2x22000	58.6 lb.
UMN-92234-SC76	PMH-T15 2x320w.	MOGUL	2x30000	76.2 lb.
UMN-92235-SC76	PMH-T15 2x350w.	MOGUL	2x31000	76.2 lb.
UMN-92236-SC76	HPS-ED18 2x250w.	MOGUL	2x26100	58.6 lb.
UMN-92237-SC76	HPS-ED18 2x400w.	MOGUL	2x45000	76.2 lb.








UMN-91261-SC60



Martini small HP LED single area light distribution type II for tenon dia.2.36"


Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91261-SC60-W30	2x12 LED	2x1561 lm	3000K	2x21	26.2 lb.	•
UMN-91261-SC60-W40	2x12 LED	2x1587 lm	4000K	2x21	26.2 lb.	•
UMN-91261-SC60-W50	2x12 LED	2x1655 lm	5000K	2x21	26.2 lb.	•
UMN-91262-SC60-W30	2x12 LED	2x2043 lm	3000K	2x29	26.2 lb.	•
UMN-91262-SC60-W40	2x12 LED	2x2049 lm	4000K	2x29	26.2 lb.	•
UMN-91262-SC60-W50	2x12 LED	2x2150 lm	5000K	2x29	26.2 lb.	•



ø2.36"X3.5"


EPA=1.81 ft²

UMN-91261-SC76



Martini small HP LED single area light distribution type II for tenon dia.2.99"


Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91261-SC76-W30	2x12 LED	2x1561 lm	3000K	2x21	29.3 lb.	•
UMN-91261-SC76-W40	2x12 LED	2x1587 lm	4000K	2x21	29.3 lb.	•
UMN-91261-SC76-W50	2x12 LED	2x1655 lm	5000K	2x21	29.3 lb.	•
UMN-91262-SC76-W30	2x12 LED	2x2043 lm	3000K	2x29	29.3 lb.	•
UMN-91262-SC76-W40	2x12 LED	2x2049 lm	4000K	2x29	29.3 lb.	•
UMN-91262-SC76-W50	2x12 LED	2x2150 lm	5000K	2x29	29.3 lb.	•



ø2.99"X3.5"


EPA=1.81 ft²

UMN-91271-SC76



Martini small HP LED double area lights distribution type II for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91271-SC76-W30	4x12 LED	4x1561 lm	3000K	4x21	58.6 lb.	•
UMN-91271-SC76-W40	4x12 LED	4x1587 lm	4000K	4x21	58.6 lb.	•
UMN-91271-SC76-W50	4x12 LED	4x1655 lm	5000K	4x21	58.6 lb.	•
UMN-91272-SC76-W30	4x12 LED	4x2043 lm	3000K	4x29	58.6 lb.	•
UMN-91272-SC76-W40	4x12 LED	4x2049 lm	4000K	4x29	58.6 lb.	•
UMN-91272-SC76-W50	4x12 LED	4x2150 lm	5000K	4x29	58.6 lb.	•




ø2.99"X3.5"

EPA=2.13 ft²






UMN-91221-SC60




Martini 7 Small single area light distribution type III for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91221-SC60	HIT-CPO 60w.	PGZ12	6800	18.3 lb.
UMN-91222-SC60	PMH-ED17 70w.	MED	4000	18.3 lb.
UMN-91223-SC60	PMH-ED17 100w.	MED	6500	23.1 lb.
UMN-91224-SC60	PMH-ED17 150w.	MED	10000	23.1 lb.
UMN-91225-SC60	HPS-ED17 70w.	MED	5450	18.3 lb.
UMN-91226-SC60	HPS-ED17 100w.	MED	8550	23.1 lb.
UMN-91227-SC60	HPS-ED17 150w.	MED	14400	23.1 lb.






UMN-91221-SC76




Martini 8 Small single area light distribution type III for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91221-SC76	HIT-CPO 60w.	PGZ12	6800	23.1 lb.
UMN-91222-SC76	PMH-ED17 70w.	MED	4000	23.1 lb.
UMN-91223-SC76	PMH-ED17 100w.	MED	6500	28.0 lb.
UMN-91224-SC76	PMH-ED17 150w.	MED	10000	28.0 lb.
UMN-91225-SC76	HPS-ED17 70w.	MED	5450	23.1 lb.
UMN-91226-SC76	HPS-ED17 100w.	MED	8550	28.0 lb.
UMN-91227-SC76	HPS-ED17 150w.	MED	14400	28.0 lb.




UMN-91231-SC76




Martini 9 Small double area lights distribution type III for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91231-SC76	HIT-CPO 2x60w.	PGZ12	2x6800	42.7 lb.
UMN-91232-SC76	PMH-ED17 2x70w.	MED	2x4000	42.7 lb.
UMN-91233-SC76	PMH-ED17 2x100w.	MED	2x6500	46.3 lb.
UMN-91234-SC76	PMH-ED17 2x150w.	MED	2x10000	46.3 lb.
UMN-91235-SC76	HPS-ED17 2x70w.	MED	2x5450	42.7 lb.
UMN-91236-SC76	HPS-ED17 2x100w.	MED	2x8550	46.3 lb.
UMN-91237-SC76	HPS-ED17 2x150w.	MED	2x14400	46.3 lb.








UMN-92241-SC60






Martini 10 Medium single area light distribution type III for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92241-SC60	HIT-CPO 140w.	PGZ12	16500	26.2 lb.
UMN-92242-SC60	PMH-T15 200w.	MOGUL	19000	26.2 lb.
UMN-92243-SC60	PMH-T15 250w.	MOGUL	22000	26.2 lb.
UMN-92244-SC60	PMH-T15 320w.	MOGUL	30000	28.6 lb.
UMN-92245-SC60	PMH-T15 350w.	MOGUL	31000	28.6 lb.
UMN-92246-SC60	HPS-ED18 250w.	MOGUL	26100	26.2 lb.
UMN-92247-SC60	HPS-ED18 400w.	MOGUL	45000	28.6 lb.




Martini11 Medium single area light distribution type III for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92241-SC76	HIT-CPO 140w.	PGZ12	16500	29.3 lb.
UMN-92242-SC76	PMH-T15 200w.	MOGUL	19000	29.3 lb.
UMN-92243-SC76	PMH-T15 250w.	MOGUL	22000	29.3 lb.
UMN-92244-SC76	PMH-T15 320w.	MOGUL	30000	38.1 lb.
UMN-92245-SC76	PMH-T15 350w.	MOGUL	31000	38.1 lb.
UMN-92246-SC76	HPS-ED18 250w.	MOGUL	26100	29.3 lb.
UMN-92247-SC76	HPS-ED18 400w.	MOGUL	45000	38.1 lb.




UMN-92241-SC76




Martini 12 Medium double area lights distribution type III for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92251-SC76	HIT-CPO 2x140w.	PGZ12	2x16500	58.6 lb.
UMN-92252-SC76	PMH-T15 2x200w.	MOGUL	2x19000	58.6 lb.
UMN-92253-SC76	PMH-T15 2x250w.	MOGUL	2x22000	58.6 lb.
UMN-92254-SC76	PMH-T15 2x320w.	MOGUL	2x30000	76.2 lb.
UMN-92255-SC76	PMH-T15 2x350w.	MOGUL	2x31000	76.2 lb.
UMN-92256-SC76	HPS-ED18 2x250w.	MOGUL	2x26100	58.6 lb.
UMN-92257-SC76	HPS-ED18 2x400w.	MOGUL	2x45000	78.9 lb.







UMN-92251-SC76



*Option: Straight arm 0° tilt (Dark Sky compliant)



UMN-91291-SC60



ø2.36"X3.5"

EPA=1.81 ft²

Martini small HP LED single area light distribution type III for tenon dia.2.36"




Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91291-SC60-W30	2x12 LED	2x1585 lm	3000K	2x21	26.2 lb.	•
UMN-91291-SC60-W40	2x12 LED	2x1610 lm	4000K	2x21	26.2 lb.	•
UMN-91291-SC60-W50	2x12 LED	2x1679 lm	5000K	2x21	26.2 lb.	•
UMN-91292-SC60-W30	2x12 LED	2x2066 lm	3000K	2x29	26.2 lb.	•
UMN-91292-SC60-W40	2x12 LED	2x2072 lm	4000K	2x29	26.2 lb.	•
UMN-91292-SC60-W50	2x12 LED	2x2175 lm	5000K	2x29	26.2 lb.	•

Martini small HP LED single area light distribution type III for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91291-SC76-W30	2x12 LED	2x1585 lm	3000K	2x21	29.3 lb.	•
UMN-91291-SC76-W40	2x12 LED	2x1610 lm	4000K	2x21	29.3 lb.	•
UMN-91291-SC76-W50	2x12 LED	2x1679 lm	5000K	2x21	29.3 lb.	•
UMN-91292-SC76-W30	2x12 LED	2x2066 lm	3000K	2x29	29.3 lb.	•
UMN-91292-SC76-W40	2x12 LED	2x2072 lm	4000K	2x29	29.3 lb.	•
UMN-91292-SC76-W50	2x12 LED	2x2175 lm	5000K	2x29	29.3 lb.	•



UMN-91291-SC76



ø2.99"X3.5"



EPA=1.81 ft²

Martini small HP LED double area lights distribution type III for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91301-SC76-W30	4x12 LED	4x1585 lm	3000K	4x21	58.6 lb.	•
UMN-91301-SC76-W40	4x12 LED	4x1610 lm	4000K	4x21	58.6 lb.	•
UMN-91301-SC76-W50	4x12 LED	4x1679 lm	5000K	4x21	58.6 lb.	•
UMN-91302-SC76-W30	4x12 LED	4x2066 lm	3000K	4x29	58.6 lb.	•
UMN-91302-SC76-W40	4x12 LED	4x2072 lm	4000K	4x29	58.6 lb.	•
UMN-91302-SC76-W50	4x12 LED	4x2175 lm	5000K	4x29	58.6 lb.	•



UMN-91301-SC76




ø2.99"X3.5"

EPA=2.13 ft²






UMN-91180-SC60




Martini 13 Small single area light distribution type IV for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91180-SC60	HIT-CPO 60w.	PGZ12	6800	18.3 lb.
UMN-91181-SC60	PMH-ED17 70w.	MED	4000	18.3 lb.
UMN-91182-SC60	PMH-ED17 100w.	MED	6500	23.1 lb.
UMN-91183-SC60	PMH-ED17 150w.	MED	10000	23.1 lb.
UMN-91184-SC60	HPS-ED17 70w.	MED	5450	18.3 lb.
UMN-91185-SC60	HPS-ED17 100w.	MED	8550	23.1 lb.
UMN-91186-SC60	HPS-ED17 150w.	MED	14400	23.1 lb.






UMN-91180-SC76




Martini 14 Small single area light distribution type IV for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91180-SC76	HIT-CPO 60w.	PGZ12	6800	23.1 lb.
UMN-91181-SC76	PMH-ED17 70w.	MED	4000	23.1 lb.
UMN-91182-SC76	PMH-ED17 100w.	MED	6500	28.0 lb.
UMN-91183-SC76	PMH-ED17 150w.	MED	10000	28.0 lb.
UMN-91184-SC76	HPS-ED17 70w.	MED	5450	23.1 lb.
UMN-91185-SC76	HPS-ED17 100w.	MED	8550	28.0 lb.
UMN-91186-SC76	HPS-ED17 150w.	MED	14400	28.0 lb.




UMN-91191-SC76



Martini 15 Small double area light distribution type IV for tenon dia.2.99"


Model No.	Lamp	Holder	Lumen	Weight
UMN-91190-SC76	HIT-CPO 2x60w.	PGZ12	2x6800	42.7 lb.
UMN-91191-SC76	PMH-ED17 2x70w.	MED	2x4000	42.7 lb.
UMN-91192-SC76	PMH-ED17 2x100w.	MED	2x6500	46.3 lb.
UMN-91193-SC76	PMH-ED17 2x150w.	MED	2x10000	46.3 lb.
UMN-91194-SC76	HPS-ED17 2x70w.	MED	2x5450	42.7 lb.
UMN-91195-SC76	HPS-ED17 2x100w.	MED	2x8550	46.3 lb.
UMN-91196-SC76	HPS-ED17 2x150w.	MED	2x14400	46.3 lb.



*Option: Straight arm 0° tilt (Dark Sky compliant)






UMN-92192-SC60




Martini 16 Medium single area light distribution type IV for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92190-SC60	HIT-CPO 140w.	PGZ12	16500	26.2 lb.
UMN-92191-SC60	PMH-T15 200w.	MOGUL	19000	26.2 lb.
UMN-92192-SC60	PMH-T15 250w.	MOGUL	22000	26.2 lb.
UMN-92193-SC60	PMH-T15 320w.	MOGUL	30000	28.6 lb.
UMN-92194-SC60	PMH-T15 350w.	MOGUL	31000	28.6 lb.
UMN-92195-SC60	HPS-ED18 250w.	MOGUL	26100	26.2 lb.
UMN-92196-SC60	HPS-ED18 400w.	MOGUL	45000	28.6 lb.






UMN-92192-SC76




Martini 17 Medium single area light distribution type IV for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92190-SC76	HIT-CPO 140w.	PGZ12	16500	29.3 lb.
UMN-92191-SC76	PMH-T15 200w.	MOGUL	19000	29.3 lb.
UMN-92192-SC76	PMH-T15 250w.	MOGUL	22000	29.3 lb.
UMN-92193-SC76	PMH-T15 320w.	MOGUL	30000	38.1 lb.
UMN-92194-SC76	PMH-T15 350w.	MOGUL	31000	38.1 lb.
UMN-92195-SC76	HPS-ED18 250w.	MOGUL	26100	29.3 lb.
UMN-92196-SC76	HPS-ED18 400w.	MOGUL	45000	38.1 lb.




UMN-92200-SC76




Martini 18 Medium double area lights distribution type IV for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-92200-SC76	HIT-CPO 2x140w.	PGZ12	2x16500	58.6 lb.
UMN-92201-SC76	PMH-T15 2x200w.	MOGUL	2x19000	58.6 lb.
UMN-92202-SC76	PMH-T15 2x250w.	MOGUL	2x22000	58.6 lb.
UMN-92203-SC76	PMH-T15 2x320w.	MOGUL	2x30000	76.2 lb.
UMN-92204-SC76	PMH-T15 2x350w.	MOGUL	2x31000	76.2 lb.
UMN-92205-SC76	HPS-ED18 2x250w.	MOGUL	2x26100	58.6 lb.
UMN-92206-SC76	HPS-ED18 2x400w.	MOGUL	2x45000	76.2 lb.






UMN-91311-SC60



Martini small HP LED single area light distribution type IV for tenon dia.2.36"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91311-SC60-W30	2x12 LED	2x1585 lm	3000K	2x21	26.2 lb.	•
UMN-91311-SC60-W40	2x12 LED	2x1610 lm	4000K	2x21	26.2 lb.	•
UMN-91311-SC60-W50	2x12 LED	2x1679 lm	5000K	2x21	26.2 lb.	•
UMN-91312-SC60-W30	2x12 LED	2x2066 lm	3000K	2x29	26.2 lb.	•
UMN-91312-SC60-W40	2x12 LED	2x2072 lm	4000K	2x29	26.2 lb.	•
UMN-91312-SC60-W50	2x12 LED	2x2175 lm	5000K	2x29	26.2 lb.	•





Martini small HP LED single area light distribution type IV for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91311-SC76-W30	2x12 LED	2x1585 lm	3000K	2x21	29.3 lb.	•
UMN-91311-SC76-W40	2x12 LED	2x1610 lm	4000K	2x21	29.3 lb.	•
UMN-91311-SC76-W50	2x12 LED	2x1679 lm	5000K	2x21	29.3 lb.	•
UMN-91312-SC76-W30	2x12 LED	2x2066 lm	3000K	2x29	29.3 lb.	•
UMN-91312-SC76-W40	2x12 LED	2x2072 lm	4000K	2x29	29.3 lb.	•
UMN-91312-SC76-W50	2x12 LED	2x2175 lm	5000K	2x29	29.3 lb.	•



UMN-91311-SC76





Martini small HP LED double area lights distribution type IV for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91321-SC76-W30	4x12 LED	4x1585 lm	3000K	4x21	58.6 lb.	•
UMN-91321-SC76-W40	4x12 LED	4x1610 lm	4000K	4x21	58.6 lb.	•
UMN-91321-SC76-W50	4x12 LED	4x1679 lm	5000K	4x21	58.6 lb.	•
UMN-91322-SC76-W30	4x12 LED	4x2066 lm	3000K	4x29	58.6 lb.	•
UMN-91322-SC76-W40	4x12 LED	4x2072 lm	4000K	4x29	58.6 lb.	•
UMN-91322-SC76-W50	4x12 LED	4x2175 lm	5000K	4x29	58.6 lb.	•




UMN-91321-SC76








UMN-91241-SC60






Martini 19 Small single area light distribution type V for tenon dia.2.36"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91241-SC60	HIT-CPO 60w.	PGZ12	6800	18.3 lb.
UMN-91242-SC60	PMH-ED17 70w.	MED	4000	18.3 lb.
UMN-91243-SC60	PMH-ED17 100w.	MED	6500	23.1 lb.
UMN-91244-SC60	PMH-ED17 150w.	MED	10000	23.1 lb.
UMN-91245-SC60	HPS-ED17 70w.	MED	5450	18.3 lb.
UMN-91246-SC60	HPS-ED17 100w.	MED	8550	23.1 lb.
UMN-91247-SC60	HPS-ED17 150w.	MED	14400	23.1 lb.




Martini 20 Small single area light distribution type V for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91241-SC76	HIT-CPO 60w.	PGZ12	6800	23.1 lb.
UMN-91242-SC76	PMH-ED17 70w.	MED	4000	23.1 lb.
UMN-91243-SC76	PMH-ED17 100w.	MED	6500	28.0 lb.
UMN-91244-SC76	PMH-ED17 150w.	MED	10000	28.0 lb.
UMN-91245-SC76	HPS-ED17 70w.	MED	5450	23.1 lb.
UMN-91246-SC76	HPS-ED17 100w.	MED	8550	28.0 lb.
UMN-91247-SC76	HPS-ED17 150w.	MED	14400	28.0 lb.




UMN-91241-SC76




Martini 21 Small double area lights distribution type V for tenon dia.2.99"

Model No.	Lamp	Holder	Lumen	Weight
UMN-91251-SC76	HIT-CPO 2x60w.	PGZ12	2x6800	42.7 lb.
UMN-91252-SC76	PMH-ED17 2x70w.	MED	2x4000	42.7 lb.
UMN-91253-SC76	PMH-ED17 2x100w.	MED	2x6500	46.3 lb.
UMN-91254-SC76	PMH-ED17 2x150w.	MED	2x10000	46.3 lb.
UMN-91255-SC76	HPS-ED17 2x70w.	MED	2x5450	42.7 lb.
UMN-91256-SC76	HPS-ED17 2x100w.	MED	2x8550	46.3 lb.
UMN-91257-SC76	HPS-ED17 2x150w.	MED	2x14400	46.3 lb.






UMN-91251-SC76






A diagram showing a street lamp on a pole. The lamp is at the top of the pole, and a yellow cone of light extends downwards and outwards, illuminating a portion of the road surface. The road surface is represented by a yellow trapezoidal area, and the background is a light gray.

Model No.	Lamp	Holder	Lumen	Weight
UMN-92261-SC60	HIT-CPO 140w.	PGZ12	16500	26.2 lb.
UMN-92262-SC60	PMH-T15 200w.	MOGUL	19000	26.2 lb.
UMN-92263-SC60	PMH-T15 250w.	MOGUL	22000	26.2 lb.
UMN-92264-SC60	PMH-T15 320w.	MOGUL	30000	28.6 lb.
UMN-92265-SC60	PMH-T15 350w.	MOGUL	31000	28.6 lb.
UMN-92266-SC60	HPS-ED18 250w.	MOGUL	26100	26.2 lb.
UMN-92267-SC60	HPS-ED18 400w.	MOGUL	45000	28.6 lb.




Model No.	Lamp	Holder	Lumen	Weight
UMN-92261-SC76	HIT-CPO 140w.	PGZ12	16500	29.3 lb.
UMN-92262-SC76	PMH-T15 200w.	MOGUL	19000	29.3 lb.
UMN-92263-SC76	PMH-T15 250w.	MOGUL	22000	29.3 lb.
UMN-92264-SC76	PMH-T15 320w.	MOGUL	30000	38.1 lb.
UMN-92265-SC76	PMH-T15 350w.	MOGUL	31000	38.1 lb.
UMN-92266-SC76	HPS-ED18 250w.	MOGUL	26100	29.3 lb.
UMN-92267-SC76	HPS-ED18 400w.	MOGUL	45000	38.1 lb.




A black, modern street lamp with two adjustable light heads. The lamp has a central vertical pole and two horizontal arms extending from the top, each holding a rectangular light fixture. The light fixtures are angled downwards and outwards. The background is a plain, light grey.

Model No.	Lamp	Holder	Lumen	Weight
UMN-92271-SC76	HIT-CPO 2x140w.	PGZ12	2x16500	58.6 lb.
UMN-92272-SC76	PMH-T15 2x200w.	MOGUL	2x19000	58.6 lb.
UMN-92273-SC76	PMH-T15 2x250w.	MOGUL	2x22000	58.6 lb.
UMN-92274-SC76	PMH-T15 2x320w.	MOGUL	2x30000	76.2 lb.
UMN-92275-SC76	PMH-T15 2x350w.	MOGUL	2x31000	76.2 lb.
UMN-92276-SC76	HPS-ED18 2x250w.	MOGUL	2x26100	58.6 lb.
UMN-92277-SC76	HPS-ED18 2x400w.	MOGUL	2x45000	76.2 lb.




767




Martini small HP LED single area light distribution type V for tenon dia.2.36"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91331-SC60-M-W30	2x12 LED	2x1832 lm	3000K	2x21	26.2 lb.	•
UMN-91331-SC60-M-W40	2x12 LED	2x1952 lm	4000K	2x21	26.2 lb.	•
UMN-91331-SC60-M-W50	2x12 LED	2x2089 lm	5000K	2x21	26.2 lb.	•
UMN-91331-SC60-W-W30	2x12 LED	2x1744 lm	3000K	2x21	26.2 lb.	•
UMN-91331-SC60-W-W40	2x12 LED	2x1858 lm	4000K	2x21	26.2 lb.	•
UMN-91331-SC60-W-W50	2x12 LED	2x1989 lm	5000K	2x21	26.2 lb.	•
UMN-91331-SC60-VW-W30	2x12 LED	2x1797 lm	3000K	2x21	26.2 lb.	•
UMN-91331-SC60-VW-W40	2x12 LED	2x1914 lm	4000K	2x21	26.2 lb.	•
UMN-91331-SC60-VW-W50	2x12 LED	2x2049 lm	5000K	2x21	26.2 lb.	•
UMN-91331-SC60-EW-W30	2x12 LED	2x1856 lm	3000K	2x21	26.2 lb.	•
UMN-91331-SC60-EW-W40	2x12 LED	2x1977 lm	4000K	2x21	26.2 lb.	•
UMN-91331-SC60-EW-W50	2x12 LED	2x2116 lm	5000K	2x21	26.2 lb.	•
UMN-91332-SC60-M-W30	2x12 LED	2x2388 lm	3000K	2x29	26.2 lb.	•
UMN-91332-SC60-M-W40	2x12 LED	2x2544 lm	4000K	2x29	26.2 lb.	•
UMN-91332-SC60-M-W50	2x12 LED	2x2722 lm	5000K	2x29	26.2 lb.	•
UMN-91332-SC60-W-W30	2x12 LED	2x2273 lm	3000K	2x29	26.2 lb.	•
UMN-91332-SC60-W-W40	2x12 LED	2x2421 lm	4000K	2x29	26.2 lb.	•
UMN-91332-SC60-W-W50	2x12 LED	2x2592 lm	5000K	2x29	26.2 lb.	•
UMN-91332-SC60-VW-W30	2x12 LED	2x2342 lm	3000K	2x29	26.2 lb.	•
UMN-91332-SC60-VW-W40	2x12 LED	2x2494 lm	4000K	2x29	26.2 lb.	•
UMN-91332-SC60-VW-W50	2x12 LED	2x2670 lm	5000K	2x29	26.2 lb.	•
UMN-91332-SC60-EW-W30	2x12 LED	2x2419 lm	3000K	2x29	26.2 lb.	•
UMN-91332-SC60-EW-W40	2x12 LED	2x2576 lm	4000K	2x29	26.2 lb.	•
UMN-91332-SC60-EW-W50	2x12 LED	2x2758 lm	5000K	2x29	26.2 lb.	•



UMN-91331-SC76




Martini small HP LED single area light distribution type V for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91331-SC76-M-W30	2x12 LED	2x1508 lm	3000K	2x21	29.3 lb.	•
UMN-91331-SC76-M-W40	2x12 LED	2x1531 lm	4000K	2x21	29.3 lb.	•
UMN-91331-SC76-M-W50	2x12 LED	2x1597 lm	5000K	2x21	29.3 lb.	•
UMN-91331-SC76-W-W30	2x12 LED	2x1508 lm	3000K	2x21	29.3 lb.	•
UMN-91331-SC76-W-W40	2x12 LED	2x1531 lm	4000K	2x21	29.3 lb.	•
UMN-91331-SC76-W-W50	2x12 LED	2x1597 lm	5000K	2x21	29.3 lb.	•
UMN-91331-SC76-VW-W30	2x12 LED	2x1508 lm	3000K	2x21	29.3 lb.	•
UMN-91331-SC76-VW-W40	2x12 LED	2x1531 lm	4000K	2x21	29.3 lb.	•
UMN-91331-SC76-VW-W50	2x12 LED	2x1597 lm	5000K	2x21	29.3 lb.	•
UMN-91331-SC76-EW-W30	2x12 LED	2x1508 lm	3000K	2x21	29.3 lb.	•
UMN-91331-SC76-EW-W40	2x12 LED	2x1531 lm	4000K	2x21	29.3 lb.	•
UMN-91331-SC76-EW-W50	2x12 LED	2x1597 lm	5000K	2x21	29.3 lb.	•
UMN-91332-SC76-M-W30	2x12 LED	2x1937 lm	3000K	2x29	29.3 lb.	•
UMN-91332-SC76-M-W40	2x12 LED	2x1942 lm	4000K	2x29	29.3 lb.	•
UMN-91332-SC76-M-W50	2x12 LED	2x2039 lm	5000K	2x29	29.3 lb.	•
UMN-91332-SC76-W-W30	2x12 LED	2x1937 lm	3000K	2x29	29.3 lb.	•
UMN-91332-SC76-W-W40	2x12 LED	2x1942 lm	4000K	2x29	29.3 lb.	•
UMN-91332-SC76-W-W50	2x12 LED	2x2039 lm	5000K	2x29	29.3 lb.	•
UMN-91332-SC76-VW-W30	2x12 LED	2x1937 lm	3000K	2x29	29.3 lb.	•
UMN-91332-SC76-VW-W40	2x12 LED	2x1942 lm	4000K	2x29	29.3 lb.	•
UMN-91332-SC76-VW-W50	2x12 LED	2x2039 lm	5000K	2x29	29.3 lb.	•
UMN-91332-SC76-EW-W30	2x12 LED	2x1937 lm	3000K	2x29	29.3 lb.	•
UMN-91332-SC76-EW-W40	2x12 LED	2x1942 lm	4000K	2x29	29.3 lb.	•
UMN-91332-SC76-EW-W50	2x12 LED	2x2039 lm	5000K	2x29	29.3 lb.	•




UMN-91341-SC76



Martini small HP LED double area lights distribution type V for tenon dia.2.99"

Model No.	Lamp	Light output	LED colour	Power W	Weight	Dimmable
UMN-91341-SC76-M-W30	4x12 LED	4x1832 lm	3000K	4x21	58.6 lb.	•
UMN-91341-SC76-M-W40	4x12 LED	4x1952 lm	4000K	4x21	58.6 lb.	•
UMN-91341-SC76-M-W50	4x12 LED	4x2089 lm	5000K	4x21	58.6 lb.	•
UMN-91341-SC76-W-W30	4x12 LED	4x1744 lm	3000K	4x21	58.6 lb.	•
UMN-91341-SC76-W-W40	4x12 LED	4x1858 lm	4000K	4x21	58.6 lb.	•
UMN-91341-SC76-W-W50	4x12 LED	4x1989 lm	5000K	4x21	58.6 lb.	•
UMN-91341-SC76-VW-W30	4x12 LED	4x1797 lm	3000K	4x21	58.6 lb.	•
UMN-91341-SC76-VW-W40	4x12 LED	4x1914 lm	4000K	4x21	58.6 lb.	•
UMN-91341-SC76-VW-W50	4x12 LED	4x2049 lm	5000K	4x21	58.6 lb.	•
UMN-91341-SC76-EW-W30	4x12 LED	4x1856 lm	3000K	4x21	58.6 lb.	•
UMN-91341-SC76-EW-W40	4x12 LED	4x1977 lm	4000K	4x21	58.6 lb.	•
UMN-91341-SC76-EW-W50	4x12 LED	4x2116 lm	5000K	4x21	58.6 lb.	•
UMN-91342-SC76-M-W30	4x12 LED	4x2388 lm	3000K	4x29	58.6 lb.	•
UMN-91342-SC76-M-W40	4x12 LED	4x2544 lm	4000K	4x29	58.6 lb.	•
UMN-91342-SC76-M-W50	4x12 LED	4x2722 lm	5000K	4x29	58.6 lb.	•
UMN-91342-SC76-W-W30	4x12 LED	4x2273 lm	3000K	4x29	58.6 lb.	•
UMN-91342-SC76-W-W40	4x12 LED	4x2421 lm	4000K	4x29	58.6 lb.	•
UMN-91342-SC76-W-W50	4x12 LED	4x2592 lm	5000K	4x29	58.6 lb.	•
UMN-91342-SC76-VW-W30	4x12 LED	4x2342 lm	3000K	4x29	58.6 lb.	•
UMN-91342-SC76-VW-W40	4x12 LED	4x2494 lm	4000K	4x29	58.6 lb.	•
UMN-91342-SC76-VW-W50	4x12 LED	4x2670 lm	5000K	4x29	58.6 lb.	•
UMN-91342-SC76-EW-W30	4x12 LED	4x2419 lm	3000K	4x29	58.6 lb.	•
UMN-91342-SC76-EW-W40	4x12 LED	4x2576 lm	4000K	4x29	58.6 lb.	•
UMN-91342-SC76-EW-W50	4x12 LED	4x2758 lm	5000K	4x29	58.6 lb.	•



(M) Medium beam 25°

(W) Wide beam 50°

(VW) Very Wide beam 65°

(EW) Extra wide beam 131°