

IP65 : Suitable for Wet Locations

IK08 : Impact Resistant (Vandal Resistant)

UAR-21001

Arizona light column

A decorative light column with symmetrical light distribution. The sleek and minimalist shape provides distinctive lighting effects by night and a decorative urban effect during the day. Suitable for pedestrian precincts, building surrounds, shopping centers, squares and parks. The LED luminaires have features such as long life, limited maintenance and constant lifetime performance.

Dark sky compliant.

Extruded aluminium column. Low Copper content Die-cast aluminium housing with high corrosion resistance. Stainless steel screws. Durable High temperature silicone rubber gasket. Clear vandal resistant UV Stabilizes acrylic (PMMA) diffuser. UV Stabilized Polyester Powder coating with high corrosion resistance and chemical chromatised protection. Integral control gear. Anodized high purity aluminium reflector. Easy Lamp access for maintenance.

Physical Data

Length: 6.3"

Height: 10' 5"

Weight: 50.4 lb

Lamp

☐ HIT-CPO 60w 

(For More Lamp options including LED, please Consult the Catalogue, Website or Contact The Ligman Lighting Factory)

Voltage (Please Specify)

- ☐ 120V
☐ 277V
☐ Other _____



Options (Please Specify)

Color (Please Specify)

- | | |
|--|--|
| <input type="checkbox"/> 01-Black - RAL 9011 | <input type="checkbox"/> 02- Dark Grey - RAL 7043 |
| <input type="checkbox"/> 03-White - RAL 9003 | <input type="checkbox"/> 04 - Metallic Silver - RAL 9006 |
| <input type="checkbox"/> 05-Matt Silver - RAL 9006 | <input type="checkbox"/> 07- Custom - RAL _____ |
| <input type="checkbox"/> 06-Bronze - RAL 6014 | |



- ☐ HSS - House Side Shield
- ☐ HGT - Specify Custom Height _____ ft
- ☐ GFCI - GFCI Receptacle - Specify Position _____



Ordering Example : UAR - 21001 - HIT-CPO - 60w - 120v - Options

PROJECT: _____ DATE: _____

TYPE: _____ QUANTITY: _____ NOTE: _____

Ligman Lighting USA reserves the right to change specifications without prior notice, please contact factory for latest information.
Due to the continual improvements in LED technology data and components may change without notice.