

Tango 13, 14 post top luminaire

IP65 ◆ ▲ ▲ / EN 60598/CLASS I ⊕ / ▽ / CE / IK10




Suitable for wet locations

Tango post top luminaire was developed to compliment the Tango and Jet range of wall mount luminaires as well as the Jet square bollards, using energy saving compact fluorescent, metal halide and high pressure sodium lamps. This rectangular profiled luminaire mounted on a square aluminium pole is available with different reflectors, downward light beam distributions and lamp options. Designed for residential and shopping areas, squares and parks. Available with a selection of integral electronic ballasts. The LED luminaires have features such as long life, limited maintenance and constant lifetime performance.

Dark sky compliant

Low copper content die-cast aluminum housing and aluminum bottom frame with integral anti-glare baffles. Stainless steel screws. Durable silicone rubber gasket and clear toughened glass lens. Single cable entry. Housing is treated with a chemical chromated protection before powder coating, ensuring high corrosion resistance. Integral control gear. Anodized high purity aluminum reflector.






Product Family





UTA-20693-N



Tango 13 single post top luminaire

Model No.	Lamp	Holder	Beam	Lumen	Weight	(H) Height
UTA-20691	CFQ 18w.	G24q-2	88°	1075	37.0 lb.	8.15"
UTA-20692-VN	T6 CMH 39w.	G12	6°	2720	40.5 lb.	9.84"
UTA-20692-N	T6 CMH 39w.	G12	12°	2720	40.5 lb.	9.84"
UTA-20692-M	T6 CMH 39w.	G12	26°	2720	40.5 lb.	9.84"
UTA-20692-W	T6 CMH 39w.	G12	35°	2720	40.5 lb.	9.84"
UTA-20692-VW	T6 CMH 39w.	G12	60°	2720	40.5 lb.	9.84"

Tango 13 single post top luminaire HP LED



Model No.	Lamp	Light output	LED colour	Power W	Beam	Weight	(H) Height	Dimmable 1-10V
UTA-20693-N-W27	18 LED	1826 lm	2700K	30	14°	42.5 lb.	10.74"	•
UTA-20693-N-W30	18 LED	1943 lm	3000K	30	14°	42.5 lb.	10.74"	•
UTA-20693-N-W40	18 LED	1917 lm	4000K	30	14°	42.5 lb.	10.74"	•
UTA-20693-M-W27	18 LED	1781 lm	2700K	30	25°	42.5 lb.	10.74"	•
UTA-20693-M-W30	18 LED	1895 lm	3000K	30	25°	42.5 lb.	10.74"	•
UTA-20693-M-W40	18 LED	2072 lm	4000K	30	25°	42.5 lb.	10.74"	•
UTA-20693-W-W27	18 LED	1712 lm	2700K	30	40°	42.5 lb.	10.74"	•
UTA-20693-W-W30	18 LED	1822 lm	3000K	30	40°	42.5 lb.	10.74"	•
UTA-20693-W-W40	18 LED	1933 lm	4000K	30	40°	42.5 lb.	10.74"	•



EPA=0.49 ft²
UTA-20691


EPA=0.57 ft²
UTA-20692

EPA=0.60 ft²
UTA-20693





UTA-20702-N




Tango 13 double post top luminaire

Model No.	Lamp	Holder	Beam	Lumen	Weight	(H) Height
UTA-20701	CFQ 2x18w.	G24q-2	88°	2X1075	45.1 lb.	8.15"
UTA-20702-VN	T6 CMH 2x39w.	G12	6°	2X2720	52.0 lb.	9.84"
UTA-20702-N	T6 CMH 2x39w.	G12	12°	2X2720	52.0 lb.	9.84"
UTA-20702-M	T6 CMH 2x39w.	G12	26°	2X2720	52.0 lb.	9.84"
UTA-20702-W	T6 CMH 2x39w.	G12	35°	2X2720	52.0 lb.	9.84"
UTA-20702-VW	T6 CMH 2x39w.	G12	60°	2X2720	52.0 lb.	9.84"

Tango 13 double post top luminaire HP LED



Model No.	Lamp	Light output	LED colour	Power W	Beam	Weight	(H) Height	Dimmable 1-10V
UTA-20703-N-W27	2x18 LED	2X1826 lm	2700K	2X30	14°	54.0 lb.	10.74"	•
UTA-20703-N-W30	2x18 LED	2X1943 lm	3000K	2X30	14°	54.0 lb.	10.74"	•
UTA-20703-N-W40	2x18 LED	2X1917 lm	4000K	2X30	14°	54.0 lb.	10.74"	•
UTA-20703-M-W27	2x18 LED	2X1781 lm	2700K	2X30	25°	54.0 lb.	10.74"	•
UTA-20703-M-W30	2x18 LED	2X1895 lm	3000K	2X30	25°	54.0 lb.	10.74"	•
UTA-20703-M-W40	2x18 LED	2X2072 lm	4000K	2X30	25°	54.0 lb.	10.74"	•
UTA-20703-W-W27	2x18 LED	2X1712 lm	2700K	2X30	40°	54.0 lb.	10.74"	•
UTA-20703-W-W30	2x18 LED	2X1822 lm	3000K	2X30	40°	54.0 lb.	10.74"	•
UTA-20703-W-W40	2x18 LED	2X1933 lm	4000K	2X30	40°	54.0 lb.	10.74"	•



EPA=1.19 ft²
UTA-20701




EPA=1.35 ft²
UTA-20702

EPA=1.43 ft²
UTA-20703





UTA-20719-N




Tango 14 single post top luminaire

Model No.	Lamp	Holder	Beam	Lumen	Weight	(H) Height
UTA-20711	CFQ 26w./CFTR 32/42w.	Gx24q-3/4	83°	1550/2040/2720	39.4 lb.	9.56"
UTA-20712	PMH-ED17 70w.	MED	62°	4000	38.5 lb.	18.8"
UTA-20713	PMH-ED17 100w.	MED	62°	6500	45.1 lb.	18.8"
UTA-20714	HPS-ED17 70w.	MED	83°	5450	38.5 lb.	18.8"
UTA-20715	HPS-ED17 100w.	MED	83°	8550	45.1 lb.	18.8"
UTA-20716-VN	T6 CMH 70w.	G12	6°	5600	45.1 lb.	18.8"
UTA-20716-N	T6 CMH 70w.	G12	12°	5600	45.1 lb.	18.8"
UTA-20716-M	T6 CMH 70w.	G12	26°	5600	45.1 lb.	18.8"
UTA-20716-W	T6 CMH 70w.	G12	35°	5600	45.1 lb.	18.8"
UTA-20716-VW	T6 CMH 70w.	G12	60°	5600	45.1 lb.	18.8"
UTA-20717-VN	T6 CMH 100w.	G12	10°	7600	45.1 lb.	18.8"
UTA-20717-N	T6 CMH 100w.	G12	12°	7600	45.1 lb.	18.8"
UTA-20717-M	T6 CMH 100w.	G12	30°	7600	45.1 lb.	18.8"
UTA-20717-W	T6 CMH 100w.	G12	40°	7600	45.1 lb.	18.8"
UTA-20717-VW	T6 CMH 100w.	G12	64°	7600	45.1 lb.	18.8"
UTA-20718-VN	T6 CMH 150w.	G12	10°	11500	46.3 lb.	18.8"
UTA-20718-N	T6 CMH 150w.	G12	12°	11500	46.3 lb.	18.8"
UTA-20718-M	T6 CMH 150w.	G12	30°	11500	46.3 lb.	18.8"
UTA-20718-W	T6 CMH 150w.	G12	40°	11500	46.3 lb.	18.8"
UTA-20718-VW	T6 CMH 150w.	G12	64°	11500	46.3 lb.	18.8"




Tango 14 single post top luminaire HP LED

Model No.	Lamp	Light output	LED colour	Power W	Beam	Weight	(H) Height	Dimmable
UTA-20719-N-W27	24 LED	2392 lm	2700K	40	14°	44.9 lb.	10.86"	•
UTA-20719-N-W30	24 LED	2545 lm	3000K	40	14°	44.9 lb.	10.86"	•
UTA-20719-N-W40	24 LED	2750 lm	4000K	40	14°	44.9 lb.	10.86"	•
UTA-20719-M-W27	24 LED	2416 lm	2700K	40	25°	44.9 lb.	10.86"	•
UTA-20719-M-W30	24 LED	2568 lm	3000K	40	25°	44.9 lb.	10.86"	•
UTA-20719-M-W40	24 LED	2570 lm	4000K	40	25°	44.9 lb.	10.86"	•
UTA-20719-W-W27	24 LED	2295 lm	2700K	40	40°	44.9 lb.	10.86"	•
UTA-20719-W-W30	24 LED	2442 lm	3000K	40	40°	44.9 lb.	10.86"	•
UTA-20719-W-W40	24 LED	2488 lm	4000K	40	40°	44.9 lb.	10.86"	•





UTA-20729-N




Tango 14 double post top luminaire

Model No.	Lamp	Holder	Beam	Lumen	Weight	(H) Height
UTA-20721	CFQ 2X26w./CFTR 2x32/42w.	Gx24q-3/4	83°	2X1550/2040/2720	50.2 lb.	9.56"
UTA-20722	PMH-ED17 2x70w.	MED	62°	2X4000	61.2 lb.	18.8"
UTA-20723	PMH-ED17 2x100w.	MED	62°	2X6500	62.1 lb.	18.8"
UTA-20724	HPS-ED17 2x70w.	MED	83°	2X5450	61.2 lb.	18.8"
UTA-20725	HPS-ED17 2x100w.	MED	83°	2X8550	62.1 lb.	18.8"
UTA-20726-VN	T6 CMH 2x70w.	G12	6°	2X5600	61.7 lb.	18.8"
UTA-20726-N	T6 CMH 2x70w.	G12	12°	2X5600	61.7 lb.	18.8"
UTA-20726-M	T6 CMH 2x70w.	G12	26°	2X5600	61.7 lb.	18.8"
UTA-20726-W	T6 CMH 2x70w.	G12	35°	2X5600	61.7 lb.	18.8"
UTA-20726-VW	T6 CMH 2x70w.	G12	60°	2X5600	61.7 lb.	18.8"
UTA-20727-VN	T6 CMH 2x100w.	G12	10°	2X7600	61.7 lb.	18.8"
UTA-20727-N	T6 CMH 2x100w.	G12	12°	2X7600	61.7 lb.	18.8"
UTA-20727-M	T6 CMH 2x100w.	G12	30°	2X7600	61.7 lb.	18.8"
UTA-20727-W	T6 CMH 2x100w.	G12	40°	2X7600	61.7 lb.	18.8"
UTA-20727-VW	T6 CMH 2x100w.	G12	64°	2X7600	61.7 lb.	18.8"
UTA-20728-VN	T6 CMH 2x150w.	G12	10°	2X11500	63.9 lb.	18.8"
UTA-20728-N	T6 CMH 2x150w.	G12	12°	2X11500	63.9 lb.	18.8"
UTA-20728-M	T6 CMH 2x150w.	G12	30°	2X11500	63.9 lb.	18.8"
UTA-20728-W	T6 CMH 2x150w.	G12	40°	2X11500	63.9 lb.	18.8"
UTA-20728-VW	T6 CMH 2x150w.	G12	64°	2X11500	63.9 lb.	18.8"

Tango 14 double post top luminaire HP LED

Model No.	Lamp	Light output	LED colour	Power W	Beam	Weight	(H) Height	Dimmable 1-10V
UTA-20729-N-W27	2x24 LED	2X2392 lm	2700K	2x40	14°	58.8 lb.	10.86"	•
UTA-20729-N-W30	2x24 LED	2X2545 lm	3000K	2x40	14°	58.8 lb.	10.86"	•
UTA-20729-N-W40	2x24 LED	2X2750 lm	4000K	2x40	14°	58.8 lb.	10.86"	•
UTA-20729-M-W27	2x24 LED	2X2416 lm	2700K	2x40	25°	58.8 lb.	10.86"	•
UTA-20729-M-W30	2x24 LED	2X2568 lm	3000K	2x40	25°	58.8 lb.	10.86"	•
UTA-20729-M-W40	2x24 LED	2X2570 lm	4000K	2x40	25°	58.8 lb.	10.86"	•
UTA-20729-W-W27	2x24 LED	2X2295 lm	2700K	2x40	40°	58.8 lb.	10.86"	•
UTA-20729-W-W30	2x24 LED	2X2442 lm	3000K	2x40	40°	58.8 lb.	10.86"	•
UTA-20729-W-W40	2x24 LED	2X2488 lm	4000K	2x40	40°	58.8 lb.	10.86"	•



(VN) Very Narrow beam (N) Narrow beam (M) Medium beam (W) Wide beam (VW) Very Wide beam